

STIC Biotechnology Systems Branch

re-run

CRF Problem Report

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) experienced a problem when processing the following computer readable form (CRF):

Application Serial Number: 10/523,729
Filing Date: 2/4/05
Date Processed by STIC: 2/22/05

STIC Contact: Mark Spencer: Telephone: 571-272-2510; Fax: 571-273-0221

Nature of CRF Problem:

- ☒ (circle one) Damaged or Unreadable (for Unreadable, see attached)
☐ Blank (no files on CRF) (see attached)
☐ Empty file (filename present, but no bytes in file) (see attached)
☐ Wrong file saved to CRF (invention title, docket number, or applicant(s) do not match those in official application) (see attached)
☐ Not saved in ASCII text
☐ Sequence Listing was embedded in the file. According to Sequence Rules, submitted file should **only** be the Sequence Listing.
☐ Did not contain a Sequence Listing. (see attached sample)
☐ Other:

**PLEASE USE THE CHECKER VERSION 4.4.0 PROGRAM TO REDUCE ERRORS.
SEE BELOW FOR ADDRESS:**

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/20/06

10/523,729

C:\>A:

General failure reading drive A
Abort, Retry, Fail?F

General failure reading drive A
Abort, Retry, Fail?F
Current drive is no longer valid>

← onscreen message
when STTC PC tried
to read submitted
disk